

	L #	Hits	Search Text	DBs	Time Stamp
16	L19	10714	(raw digital handwriting) adj5 (data information software application program) same (scan\$3 barcode bar adj code)	USPAT	2003/05/09 10:20
17	L20	1	chat and instant adj message and 19	USPAT	2003/05/09 10:20

	Hits	Search Text
1	15	(proxy adj2 server firewall) and remote adj2 server same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page
2	8	((proxy adj2 server firewall) and remote adj2 server same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page) and transparent\$3
3	16	(proxy adj2 server firewall) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page and transparent\$3
4	19	(proxy firewall) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page and transparent\$3
5	11	((proxy firewall) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page and transparent\$3) not ((proxy adj2 server firewall) and remote adj2 server same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (web html) adj2 page) and transparent\$3)
6	2	(proxy firewall) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (hostname name servername namespace id identifier filename address) with (web html) adj2 page and transparent\$3
7	4	(proxy firewall) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (hostname name servername namespace id identifier filename address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3
8	5	(proxy firewall gateway) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (hostname name servername namespace id identifier filename address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3
9	16	(proxy firewall gateway) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add\$3 embed\$4 encapsulat\$3) with (hostname name servername namespace id identifier fieldname address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3
10	22	(proxy\$5 firewall gateway router) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add\$3 embed\$4 encapsulat\$3) with (hostname name servername namespace id identifier fieldname address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3

	Hits	Search Text
11	17	((proxy\$5 firewall gateway router) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add\$3 embed\$4 encapsulat\$3) with (hostname name servername namespace id identifier fieldname address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3) not ((proxy firewall gateway) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add) with (hostname name servername namespace id identifier fieldname address dns referenc\$3 pointer indicator) with (web html) adj2 page and transparent\$3)
12	3	(proxy\$5 firewall gateway router) and remote same (modif\$4 alter\$5 append\$4 insert\$3 edit\$4 chang\$3 add\$3 embed\$4 encapsulat\$3) with (hostname name servername namespace id identifier fieldname address pointer indicator) with (referenc\$3 list table catalog database url) with (web html) adj2 page and transparent\$3

	L #	Hits	Search Text
1	L5	25	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3) with (insert\$3 embed\$4 encapsulat\$3) with (hostname name id identifier address IP IPaddress) with remote
2	L6	11	(firewall proxy\$3 router gateway filter\$3) and 5
3	L7	7	6 and transparent\$3
4	L8	31	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3) with (insert\$3 embed\$4 encapsulat\$3) with (hostname name id identifier address)near3 (surrogate proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3)
5	L9	22	(firewall proxy\$3 router gateway filter\$3) and 8
6	L10	4	9 and transparent\$3
7	L11	60	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3) with (insert\$3 embed\$4 encapsulat\$3) with (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall)
8	L12	4	10 and transparent\$3
9	L13	33	(firewall proxy\$3 router gateway filter\$3) and 11
10	L14	30	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3) with (insert\$3 embed\$4 encapsulat\$3) adj10 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall)
11	L15	4	(firewall proxy\$3 router gateway filter\$3) and transparent\$3 and 14
12	L16	70	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3) with (insert\$3 embed\$4 encapsulat\$3) adj30 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall)
13	L17	9	(firewall proxy\$3 router gateway filter\$3) and transparent\$3 and 16

	L #	Hits	Search Text
14	L18	6191	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3 insert\$3 embed\$4 encapsulat\$3) adj20 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall)
15	L19	465	(firewall proxy\$3 router gateway filter\$3) and transparent\$3 and 18
16	L20	150	(firewall proxy\$3 router gateway filter\$3) same transparent\$3 and 18
17	L21	28711	709/\$\$\$
18	L22	65621	370/\$\$\$
19	L23	105	20 and (21 22)
20	L24	92	20 and (21 22) not ("2000" "2001" "2002" "2003" "2004").ay.
21	L26	0	(firewall proxy\$3 router gateway filter\$3) same transparent\$3 and 25
22	L27	0	(firewall proxy\$3 router gateway filter\$3) and transparent\$3 and 25
23	L25	1	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3 insert\$3 embed\$4 encapsulat\$3) adj20 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall) with ("not" different\$2) adj5 remote\$2
24	L28	77	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3 insert\$3 embed\$4 encapsulat\$3) adj20 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall) with remote\$2
25	L29	4	(modif\$4 edit\$3 chang\$4 replac\$4 substitut\$3 insert\$3 embed\$4 encapsulat\$3) adj20 (hostname name id identifier address pointer indicator reference) near3 (surrogat\$3 proxy\$3 middle\$4 router intermediate switch\$3 birdge hub relay\$3 gateway firewall) same ("not" different\$2) adj5 remote\$2
26	L30	29	28 and (21 22) not ("2000" "2001" "2002" "2003" "2004").ay.

	Hits	Search Text
1	4	proxy adj server same remote adj (server node gateway router) same transparent\$3
2	8	proxy adj3 server same remote adj3 (server node gateway router) same transparent\$3
3	8	(proxy adj3 server same remote adj3 (server node gateway router) same transparent\$3) and (hostname (host server) near3 name id identifier address)
4	11	proxy adj3 (gateway router node host server) with remote adj3 (server node gateway router) and transparent\$3 near5 prox\$4
5	10	(proxy adj3 (gateway router node host server) with remote adj3 (server node gateway router) and transparent\$3 near5 prox\$4) and (hostname (host server) near3 name id identifier address namespace)
6	5	(proxy adj3 (gateway router node host server) with remote adj3 (server node gateway router) and transparent\$3 near5 prox\$4) and (hostname (host server) near3 name id identifier address namespace) with (insert\$3 embed\$4 associat\$3 referenc\$3 correspon\$4 relat\$3 accord\$34)
7	871	surrogate and (hostname (host server) near3 name id identifier address namespace) with (insert\$3 embed\$4 associat\$3 referenc\$3 correspon\$4 relat\$3 accord\$34)
8	72	surrogate same (hostname (host server) near3 name id identifier address namespace) with (insert\$3 embed\$4 associat\$3 referenc\$3 correspon\$4 relat\$3 accord\$34)
9	41	surrogate with (hostname (host server) near3 name id identifier address namespace) with (insert\$3 embed\$4 associat\$3 referenc\$3 correspon\$4 relat\$3 accord\$34)
10	1	proxy adj3 server and remote adj3 (server node gateway router) and (surrogate with (hostname (host server) near3 name id identifier address namespace) with (insert\$3 embed\$4 associat\$3 referenc\$3 correspon\$4 relat\$3 accord\$34))

	L #	Hits	Search Text
1	L2	31	proxy adj2 server and remote adj2 server and transparent\$3 near3 proxy\$3
2	L3	14	proxy adj2 server same (modif\$4 edit\$3 tailor\$3 alter\$5 chang\$3 customiz\$5 replac\$3 substitut\$3) with (hostname name address) same remote
3	L4	1	2 and 3
4	L5	14	proxy adj2 server same (modif\$4 edit\$3 tailor\$3 alter\$5 chang\$3 customiz\$5 replac\$3 substitut\$3 insert\$3 embed\$4 encapsulat\$3) with (hostname name address) same remote
5	L7	39	proxy adj2 server and remote adj2 server and transparent\$3 with proxy\$3
6	L8	1	6 and 7
7	L6	14	proxy adj2 server same (modif\$4 edit\$3 tailor\$3 alter\$5 chang\$3 customiz\$5 replac\$3 substitut\$3 insert\$3 embed\$4 encapsulat\$3) with (hostname name address id identifier) same remote
8	L9	6	6 and transparent\$3
9	L11	2	6 and transparent\$3 same proxy\$3
10	L12	2	((("6052730") or ("5903725"))).PN.
11	L14	15	proxy adj2 server and remote adj2 server and surrogate
12	L15	15	proxy adj2 server and remote adj2 server and surrogate and transparent\$3
13	L16	8	proxy adj2 server and remote adj2 server and surrogate with (hostname name address id identifier)and transparent\$3

	L #	Hits	Search Text
1	L3	271	proxy adj server and remote adj server
2	L9	1	(proxy router firewall gateway) with (modif\$4 chang\$3 alter\$4 encod\$3 encapsulat\$3 mask\$3) with (name hostname id identifier surrogate) with remote adj2 server
3	L7	12	proxy adj2 server with (modif\$4 chang\$3 alter\$4) with (name hostname id identifier surrogate) with server
4	L10	9	(proxy adj2 server gateway) adj20 (modif\$4 chang\$3 alter\$4 mask\$3 encapsulat\$3) with (name hostname id identifier surrogate) same remote
5	L11	122	(proxy adj2 server gateway) adj20 (modif\$4 chang\$3 alter\$4 mask\$3 insert add\$3 encapsulat\$3) same remote
6	L12	54	(proxy adj2 server gateway) adj20 (modif\$4 chang\$3 alter\$4 mask\$3 insert add\$3 encapsulat\$3) with remote
7	L13	24	(proxy adj2 server gateway) adj20 (modif\$4 chang\$3 alter\$4 mask\$3 insert add\$3 encapsulat\$3) with remote adj3 (server gateway router device unit node)
8	L16	18	(proxy adj2 server gateway) adj30 (name id identifier hostname servername) with remote adj3 (server gateway router device unit node)
9	L17	671	(proxy adj2 server gateway) same (modif\$4 edit\$3 chang\$3 alter\$6 customiz\$3 insert\$3 add\$3) with (url referenc\$3 request)
10	L20	9	(proxy adj2 server gateway) adj10 (modif\$4 edit\$3 chang\$3 alter\$6 customiz\$3 insert\$3 add\$3) with (url referenc\$3 request) with (name id identifier)
11	L21	1028	transparent\$2 with prox\$4
12	L22	20	21 and (modif\$4 edit\$3 chang\$3 alter\$6 customiz\$3 insert\$3 add\$3) with (url referenc\$3 request) with (name id identifier)

	L #	Hits	Search Text
1	L1	245	(java javascript corba orb object adj oriented) and surrogate
2	L3	37	1 and (servername hostname (host server) adj (name id identifier) hostid serverid)
3	L4	350	(insert\$3 modif\$4 embed\$4 replac\$3 proxy\$3 add\$3 referenc\$3) with (servername hostname (host server) adj (name id identifier) hostid serverid)
4	L5	23	3 and 4
5	L6	16	3 and 4 and remote
6	L8	0	6 and 7
7	L7	10	(insert\$3 modif\$4 embed\$4 replac\$3 proxy\$3 add\$3) with referenc\$3 with (servername hostname (host server) adj (name id identifier) hostid serverid)
8	L9	4	(insert\$3 modif\$4 embed\$4 replac\$3 proxy\$3) with referenc\$3 with (servername hostname (host server) adj (name id address identifier) hostid serverid)
9	L11	38	(insert\$3 modif\$4 embed\$4 replac\$3 proxy\$3 encod\$3 encapsulat\$3 includ\$3) with referenc\$3 with (servername hostname (host server) adj (name id address identifier) hostid serverid)
10	L12	15	1 and 11
11	L13	15	12 and remote
12	L14	29	(router firewall proxy adj servergateway) same (servername hostname (host server) adj (name id address identifier) hostid serverid) same remote
13	L15	11301	transparent with (customer client user subscriber)
14	L16	160	(insert\$3 modif\$4 embed\$4 replac\$3 proxy\$3 encod\$3 encapsulat\$3 includ\$3) with (servername hostname (host server) adj (name id address identifier) hostid serverid) and 15
15	L17	116	(router firewall proxy adj server gateway) and 16

	L #	Hits	Search Text
16	L18	2	1 and 17
17	L19	1896	((insert\$3 modif\$4 embed\$4 replac\$3 edit\$3 ucstomiz\$3 add\$3) with (servername hostname (host server) adj (name id identifier) hostid serverid tag url locator pointer indicator web adj page webpage)).ab.
18	L20	2	17 and 19
19	L21	104	((insert\$3 embed\$4 add\$3) with (proxy adj server router gateway firewall hostname servername)).ab.
20	L22	38	21 and remote
21	L23	41	21 and (foreign remote)
22	L24	17	(insert\$3 embed\$4 add\$3) near5 (hostname servername id address url pointer locator referenc\$3 name identifier) with (proxy adj server router gateway firewall) same remote
23	L25	50	(insert\$3 embed\$4 add\$3) with "http://" same remote
24	L26	123	(insert\$3 embed\$4 add\$3) with "http://" with (insert\$3 embed\$4 add\$3) near5 (hostname servername id address url pointer locator referenc\$3 name identifier)
25	L27	18	15 and 26
26	L28	304	(insert\$3 embed\$4 add\$3 modif\$3 edit\$3 chang\$3) with "http://" with (hostname servername id address url pointer locator referenc\$3 name identifier)
27	L29	52	15 and 28
28	L30	44	15 and 28 not ("2000" "2001" "2003").ay.
29	L31	546	(insert\$3 embed\$4 add\$3 modif\$3 edit\$3) with (url "http://" www) with (hostname servername id address referenc\$3 name identifier)
30	L32	74	15 and 31
31	L33	54	32 and remote

	L #	Hits	Search Text
32	L34	46	33 not ("2000" "2001" "2003").ay.

	L #	Hits	Search Text	DBs	Time Stamp
1	L1	92	(raw ink handwriting) near3 (data information device software application program) and (chat instant adj messg\$3)	USPAT	2003/05/09 09:58
2	L4	1	(raw ink handwriting) near3 (data information device software application program) and chat same instant adj message	USPAT	2003/05/09 09:07
3	L5	13	chat same instant adj message	USPAT	2003/05/09 09:14
4	L6	2	(raw ink handwriting) and 5	USPAT	2003/05/09 09:08
5	L7	0	chat and instant adj message and hand adj (writing signature)	USPAT	2003/05/09 09:15
6	L8	0	chat and instant adj message and hand\$3 adj (writing signat\$3)	USPAT	2003/05/09 10:04
7	L9	26	chat\$4 and instant adj message and (hand\$3 writing signat\$3)	USPAT	2003/05/09 09:27
8	L10	10	chat\$4 and instant adj message and (scan\$4 barcode bar adj code)	USPAT	2003/05/09 09:28
9	L11	11361	(raw ink handwriting) near3 (data information device software application program) and (scan\$3 barcode bar adj code)	USPAT	2003/05/09 09:59
10	L12	4669	(raw ink handwriting) with (data information device software application program) same (scan\$3 barcode bar adj code)	USPAT	2003/05/09 10:11
11	L13	514	(web internet) and 12	USPAT	2003/05/09 10:01
12	L15	56	13 and (videoconferenc\$3 conferenc\$3 chat\$4)	USPAT	2003/05/09 10:02
13	L16	2	13 and (chat\$4)	USPAT	2003/05/09 10:04
14	L17	99	11 and (chat\$4)	USPAT	2003/05/09 10:04
15	L18	1	chat and instant adj message and 11	USPAT	2003/05/09 10:20

	Hits	Search Text
1	3	transparent near3 proxy and proxy adj server and browser and (hostname servername) and (id identifier name) near3 (servre host machine computer node terminal device)
2	5	transparent near3 proxy and (firewall gateway router proxy adj server) and browser and (hostname servername) and (id identifier name) near3 (servre host machine computer node terminal device)
3	6	(firewall gateway router proxy adj server) same (nodif\$4 updat\$3 edit\$3 insert\$3 embed\$4) same referenc\$3 same (id identifier name) near3 (servre host machine computer node terminal device)
4	3	(firewall gateway router proxy adj server) same (nodif\$4 updat\$3 edit\$3 insert\$3 embed\$4) same referenc\$3 same (id identifier name) near3 (server host machine computer node terminal device) same (surrogate temporary intermediate relay remote next neighbor)
5	2	(firewall gateway router proxy adj server) same (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) same (id identifier name) near3 (server host machine computer node terminal device) same (surrogate temporary intermediate relay remote next neighbor)
6	280	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate temporary intermediate relay remote next neighbor)

	Hits	Search Text
7	53	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate intermediate relay remote next neighbor) adj3 (server node unit device machine computer) and temporary
8	53	((firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate intermediate relay remote next neighbor) adj3 (server node unit device machine computer) and temporary) not ("2003" "2002" "2001").ay.
9	0	((firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate intermediate relay remote next neighbor) adj3 (server node unit device machine computer) and temporary) not ("2003" "2002" "2001").ay.) and remote and surrogate
10	1	((firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate temporary intermediate relay remote next neighbor)) and remote and surrogate
11	500	(firewall gateway router proxy adj server) with (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url)

	Hits	Search Text
12	0	(transparent near3 proxy and proxy adj server and browser and ((hostname servername) (id identifier name) near3 (servre host machine computer node terminal device))) and ((firewall gateway router proxy adj server) with (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url))
13	11	transparent near3 proxy and proxy adj server and browser and ((hostname servername) (id identifier name) near3 (servre host machine computer node terminal device))
14	4	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and surrogate
15	1425	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) with (link connect\$3 referenc\$3 url route path)
16	180	((firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) with (link connect\$3 referenc\$3 url route path)) and remote adj3 (server node)
17	1	((((firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) with (link connect\$3 referenc\$3 url route path)) and remote adj3 (server node)) and surrogate
18	380	(firewall gateway router proxy adj server) adj10 (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) adj20 (link connect\$3 referenc\$3 url route path)
19	91	(firewall gateway router proxy adj server) adj10 (modif\$4 insert\$3 embed\$4) adj20 (link connect\$3 referenc\$3 url route path)

	Hits	Search Text
20	13	((firewall gateway router proxy adj server) adj10 (modif\$4 insert\$3 embed\$4) adj20 (link connect\$3 referenc\$3 url route path)) and remote adj3 (server node)
21	1941	header with (two second\$3) with (address destination name id identifier (host server) adj name)
22	28242	(query request\$3 header segment packet cell frame message) with (two second\$3) with (address destination name id identifier (host server) adj name)
23	127	(header with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)).ab.
24	39766	(query request\$3 header segment packet cell frame message) with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)
25	26	(firewall gateway router proxy adj server) and ((header with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)).ab.)
26	26	((query request\$3 header segment packet cell frame message) with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)) and ((firewall gateway router proxy adj server) and ((header with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)).ab.))
27	0	(firewall gateway router proxy) adj10 (modif\$4 insert\$3 embed\$4) with remote with different
28	1	(firewall gateway router proxy) with (modif\$4 insert\$3 embed\$4) with remote with different
29	204	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote

	Hits	Search Text
30	44	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote adj3 (server node device)
31	17	(firewall gateway router proxy adj server).ab. and ((firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote adj3 (server node device))
32	39	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with (address hostname servername name id nodeID identifier) with remote
33	18	(firewall gateway router proxy) adj5 (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with (address hostname servername name id nodeID identifier) with remote
34	2899	(hostname servername name id identification identifier url locator indicator address pointer referenc\$3) with (associat\$2 correspon\$4 bind\$3 alternat\$3) with remote
35	48	((firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote) and ((hostname servername name id identification identifier url locator indicator address pointer referenc\$3) with (associat\$2 correspon\$4 bind\$3 alternat\$3) with remote)
36	6	transparent adj proxy and remote adj (server node network internet host)
37	6	(transparent adj proxy and remote adj (server node network internet host)) and (modif\$4 updat\$3 edit\$3 replac\$3 chang\$3 alter\$5)
38	30	transparent with proxy and remote adj (server node network internet host)
39	30	(transparent with proxy and remote adj (server node network internet host)) and (modif\$4 updat\$3 edit\$3 replac\$3 chang\$3 alter\$5)

	Hits	Search Text
40	29	(transparent with proxy and remote adj (server node network internet host)) and (modif\$4 updat\$3 edit\$3 replac\$3 chang\$3 alter\$5) with (content context load address id hostname name servername data information)
41	23	((transparent with proxy and remote adj (server node network internet host)) and (modif\$4 updat\$3 edit\$3 replac\$3 chang\$3 alter\$5) with (content context load address id hostname name servername data information)) and (hostname servername name)
42	21	proxy same transparent\$2 same (hostname servername name)
43	16	proxy same transparent\$2 same (hostname servername name) same (remote\$2 web internet lan wan)
44	16	proxy same transparent\$2 same (hostname servername name) and remote\$2 adj3 (host server node web internet lan wan)
45	2	proxy same meta adj content
46	0	proxy and href with meta adj content
47	0	href with meta adj content
48	1	html with tag with meta adj content
49	6	html with meta adj content
50	5	meta adj content.clm.
51	98	transparent\$2 with proxy\$3 and (modif\$4 chang\$3 replac\$3 proxy\$3 map\$4 encapsulat\$3 encod\$3 translat\$3 trnascod\$3 insert\$3 embed\$4) with (name id identifier hostname address servername)

	L #	Hits	Search Text
1	L1	3	transparent near3 proxy and proxy adj server and browser and (hostname servername) and (id identifier name) near3 (servre host machine computer node terminal device)
2	L2	5	transparent near3 proxy and (firewall gateway router proxy adj server) and browser and (hostname servername) and (id identifier name) near3 (servre host machine computer node terminal device)
3	L3	6	(firewall gateway router proxy adj server) same (nodif\$4 updat\$3 edit\$3 insert\$3 embed\$4) same referenc\$3 same (id identifier name) near3 (servre host machine computer node terminal device)
4	L4	3	(firewall gateway router proxy adj server) same (nodif\$4 updat\$3 edit\$3 insert\$3 embed\$4) same referenc\$3 same (id identifier name) near3 (server host machine computer node terminal device) same (surrogate temporary intermediate relay remote next neighbor)
5	L5	2	(firewall gateway router proxy adj server) same (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) same (id identifier name) near3 (server host machine computer node terminal device) same (surrogate temporary intermediate relay remote next neighbor)
6	L6	280	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate temporary intermediate relay remote next neighbor)

	L #	Hits	Search Text
7	L7	53	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and (id identifier name) near3 (server host machine computer node terminal device) and (surrogate intermediate relay remote next neighbor) adj3 (server node unit device machine computer) and temporary
8	L8	53	7 not ("2003" "2002" "2001").ay.
9	L9	0	8 and remote and surrogate
10	L10	1	6 and remote and surrogate
11	L12	500	(firewall gateway router proxy adj server) with (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url)
12	L13	0	11 and 12
13	L11	11	transparent near3 proxy and proxy adj server and browser and ((hostname servername) (id identifier name) near3 (servre host machine computer node terminal device))
14	L14	4	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4) with (link connect\$3 referenc\$3 url) and surrogate
15	L15	1425	(firewall gateway router proxy adj server).ab. and (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) with (link connect\$3 referenc\$3 url route path)
16	L16	180	15 and remote adj3 (server node)
17	L17	1	16 and surrogate
18	L18	380	(firewall gateway router proxy adj server) adj10 (modif\$4 updat\$3 edit\$3 insert\$3 embed\$4 chang\$3 tailor\$3 replac\$3 alter\$4) adj20 (link connect\$3 referenc\$3 url route path)

	L #	Hits	Search Text
19	L19	91	(firewall gateway router proxy adj server) adj10 (modif\$4 insert\$3 embed\$4) adj20 (link connect\$3 referenc\$3 url route path)
20	L20	13	19 and remote adj3 (server node)
21	L21	1941	header with (two second\$3) with (address destination name id identifier (host server) adj name)
22	L22	28242	(query request\$3 header segment packet cell frame message) with (two second\$3) with (address destination name id identifier (host server) adj name)
23	L23	127	(header with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)).ab.
24	L24	39766	(query request\$3 header segment packet cell frame message) with (two second\$3 plurality multi\$3 different) with (address destination name id identifier (host server) adj name)
25	L25	26	(firewall gateway router proxy adj server) and 23
26	L26	26	24 and 25
27	L27	0	(firewall gateway router proxy) adj10 (modif\$4 insert\$3 embed\$4) with remote with different
28	L28	1	(firewall gateway router proxy) with (modif\$4 insert\$3 embed\$4) with remote with different
29	L29	204	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote
30	L30	44	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with remote adj3 (server node device)
31	L31	17	(firewall gateway router proxy adj server).ab. and 30
32	L32	39	(firewall gateway router proxy) with (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with (address hostname servername name id nodeID identifier) with remote

	L #	Hits	Search Text
33	L33	18	(firewall gateway router proxy) adj5 (modif\$4 insert\$3 map\$4 replac\$3 chang\$2 alter\$5 embed\$4 updat\$3) with (address hostname servername name id nodeID identifier) with remote
34	L35	2899	(hostname servername name id identification identifier url locator indicator address pointer referenc\$3) with (associat\$2 correspon\$4 bind\$3 alternat\$3) with remote
35	L36	48	29 and 35